Amendment Pursuant to 37 C.F.R. § 1.121(c)

IN THE CLAIMS:

The claims set forth below with amendments as indicated will replace all prior versions and listing of claims in the application.

1. (currently amended) A compound of formula (I)

wherein

A is aryl or heteroaryl;

R₁ is one or more groups selected from:

alkyl optionally substituted by one or more alkoxy, heteroalkyl, aryl, acyl, acyl, acyl, acyl, derivative, halogen, amino, aminoalkyl, aminoalkylamino, hydroxy, hydroxyalkoxy, alkyl, arylalkyl, arylamino or aryloxy;

alkoxy optionally substituted by one or more alkyl, heteroalkyl, aryl, heteroaryl, alkoxyalkyl, hydroxyalkyl, amide, amino, acyl, acyl derivative, arylalkyl, perfluoroalkoxy, or alkylthio optionally substituted by amide, perfluoroalkylthio, amino, acyl, acyl derivative, alkyl, arylalkyl or aryl;

aryl or heteroaryl optionally substituted by one or more similar or different groups selected from alkyl, alkoxy, nitro, cyano, acyl derivative, perfluorealkoxy, perfluorealkyl, heteroaryl, arylexy, halogen, hydroxyalkyl, amino, mone or dialkylamino, heterocyclylamino, arylamino, heterocycloalkyl, perfluorealkylthio, or alkylthio optionally substituted by amino, acyl, acyl derivative, alkyl, arylalkyl or aryl;

halogen;

NH₂;

NH-alkyl or NH-cycloalkyl optionally substituted by acyl, acyl derivative, hydroxy, amino, alkoxy, heterocyclyl chosen from substituted or unsubstituted tetrahydrofuranyl, tetrahydropyranyl, pyrrolidinyl, 2-oxopyrrolidinyl, piperidinyl, piperazinyl, morpholinyl or azepanyl, or aryl; or 1-imidazolyl; es

SO₂ Me:

R₂ is:

-CO-alkyl or -CO-cycloalkyl wherein said -CO-alkyl or -CO-cycloalkyl is optionally substituted by one or more amino, acyl, acyl derivative, alkoxy, aryl, OH, aminoalkyl, aminoalkylamino, hydroxyalkoxy, alkyl, heteroalkyl, arylamino or aryloxy;

- -CO-aralkyl optionally substituted by one or more similar or different groups selected from alkoxy, halogen, amino, acyl, acyl derivative, alkyl, hydroxyalkyl, mono or dialkylamino, heterocyclylamino, arylamino, heterocyclylamino, heterocyclylamino, heterocyclylamino, heterocyclylamino, heterocyclylamino, heterocyclylamino, perfluoroalkyl, perfluoroalkyl, perfluoroalkylthio, or alkylthio optionally substituted by amino, acyl, acyl derivative, alkyl, arylalkyl or aryl;
- -CO-aryl optionally substituted by one or more similar or different groups selected from halogen, alkoxy, alkyl, hydroxyalkyl, alkylthio, amino, mono or dialkylamino, heterocyclylamino, arylamino, heterocyclylamino, heterocyclylamino, heterocycloalkyl, perfluoroalkyl, perfluoroalkyl, perfluoroalkyl, perfluoroalkyl, perfluoroalkylthio, or acyl;
- -CO-alkoxy optionally substituted by aryl, amino, acyl, acyl derivative, alkyl, arylalkyl or aryl;
- -CO-amino, -CO-NHR₃, -CO-NR₃R₄ wherein R₃ and R₄ are selected independently from hydrogen, alkyl, hydroxyalkyl, alkoxyalkyl, fluoroalkyl, alkynyl, heteroalkyl heterocyclyl selected from pyrrolidinylalkyl, 2-oxo-pyrrolidinylalkyl, piperidinylalkyl, tetrahydropyranylalkyl or morpholinylalkyl, alkylheterocycloalkyl selected from 4-alkylpiperazinylalkyl or N-alkyl-pyrrolidinylalkyl, aryl, aralkyl, or together form an alkylene chain optionally containing one to 4 heteroatoms selected from azetidine, pyrrolidine or piperidine, and optionally

substituted by one or more amino, aminoalkyl, aminoalkylamino, hydroxy, alkoxy, hydroxyalkoxy, hydroxyalkylamino, halogen, acyl, acyl derivative, alkyl, heteroalkyl, arylalkyl, arylamino, aryloxy or aryl; or

aryl or aralkyl optionally substituted by one or more similar or different groups selected from heterocycloalkyl heterocyclyl selected from morpholinyl or alkyl piperazinyl, alkyl, aryl, alkoxy, amino, fluoroalkyl, acyl derivative, halogen, hydroxyalkyl, mono or dialkylamino, heterocyclylamino, arylamino, heterocyclylamino, arylamino, heterocycloalkyl, perfluoroalkyl, perfluoroalkoxy, perfluoroalkylthio, or alkylthio optionally substituted by amino, acyl, acyl derivative, alkyl, arylalkyl or aryl;

wherein when A is phenyl and R_I is NH₂, NH-alkyl, NH-cycloalkyl or 1-imidazolyl, said phenyl is substituted at the 4-position with said R_I ; and when A is phenyl and R_I -is SO_2Me said phenyl is substituted at the 3-position with said R_I ;

with the proviso that when R2 is -CO-alkoxy, R1 is NH-cycloalkyl,

or a pharmaceutically acceptable salt or a prodrug thereof.

- 2. (original) The compound according to claim 1 wherein acyl is a carboxylic acid or a sulfonic acid and acyl derivative is an alkyl or carbamoyl ester.
- 3. (currently amended) A compound according to claim 2 wherein:

A is aryl or heteroaryl;

R₁ is one or more groups selected from:

alkyl optionally substituted by alkoxy, heteroalkyl, aryl, acyl derivative, or halogen;

alkoxy optionally substituted by alkyl, heteroalkyl, aryl, heteroaryl, alkoxyalkyl, hydroxyalkyl, amide or perfluoroalkoxy, or alkylthio optionally substituted by an amide or perfluoroalkylthio;

aryl or heteroaryl optionally substituted by one or more alkyl, alkoxy, nitro, cyano, acyl derivative, perfluoroalkoxy, perfluoroalkyl, heteroaryl or aryloxy;

halogen;

NH₂;

NH-alkyl or NH-cycloalkyl optionally substituted by acyl, acyl derivative, hydroxy, amino; alkoxy, heterocyclyl chosen from substituted or unsubstituted tetrahydrofuranyl, tetrahydropyranyl, pyrrolidinyl, 2-oxopyrrolidinyl, piperazinyl, morpholinyl or azepanyl, or aryl; or 1-imidazolyl; es

SO₂ Me:

R₂ is:

- -CO-alkyl or -CO-cycloalkyl wherein said -CO-alkyl or -CO-cycloalkyl is optionally substituted by amino, acyl, acyl derivative, alkoxy, aryl or OH;
- -CO-aralkyl optionally substituted by alkoxy, halogen, amino, acyl or acyl derivative;
- -CO-aryl optionally substituted <u>by</u> halogen, alkoxy, alkyl, hydroxyalkyl, alkylthio, amino, mono or dialkylamino, nitro, perfluoroalkyl, perfluoroalkoxy, perfluoroalkylthio, or acyl;
- -CO-alkoxy optionally substituted by aryl;
- -CO-amino, -CO-NHR₃, -CO-NR₃R₄ wherein R₃ and R₄ are selected independently from hydrogen, alkyl, hydroxyalkyl, alkoxyalkyl, fluoroalkyl, alkynyl, heteroalkyl heterocyclyl selected from

ST01027 US CNT

-8 of 23-

pyrrolidinylalkyl, 2-oxo-pyrrolidinylalkyl, piperidinylalkyl, tetrahydropyranylalkyl or morpholinylalkyl, alkylheterocycloalkyl selected from 4-alkylpiperazinylalkyl or N-alkyl-pyrrolidinylalkyl, aryl, aralkyl or together form an alkylene chain optionally containing one to 4 heteroatoms selected from azetidine, pyrrolidine or piperidine; or aryl or aralkyl optionally substituted by heterocycloalkyl heterocyclyl selected from morpholinyl or alkyl piperazinyl, alkyl, aryl, alkoxy, amino, fluroroalkyl, acyl derivative, or halogen.

- 4. (currently amended) The compound according to claim 3 wherein A is phenyl, thiophenyl, isoxazolyl, oxazolyl, pyrazolyl, furanyl or pyridinyl.
- 5. (canceled).
- 6. (currently amended) The compound according to elaim 5 claim 4 wherein R_1 is NH-cycloalkyl and R_2 is -CO-alkoxy.
- 7. (original) The compound according to claim 6 wherein the compound is methyl-5-(4-cyclopentylaminophenylsulfonyloxy) benzimidazole-2-carbamate.
- 8. (currently amended) The compound according to elaim $\underline{4}$ wherein R_1 is 1-imidazolyl or cyclopentylamino and R_2 is -CO-alkyl optionally substituted by amino, acyl, acyl derivative, alkoxy, aryl or OH.
- 9. (original) The compound according to claim 8 wherein the compound is selected from the group consisting of:

N-[5-(4-imidazol-1-yl-benzenesulfonyloxy)-1H-benzoimidazol-2-yl]-succinamic acid methyl ester,

N-[5-(4-cyclopentylamino-benzenesulfonyloxy)-1H-benzoimidazol-2-yl]-succinamic acid methyl ester,

4-[5-(4-cyclopentylamino-benzenesulfonyloxy)-1H-benzoimidazol-2-ylcarbamoyl]-butyric acid methyl ester, and

4-cyclopentylamino-benzenesulfonic acid 2-(2-methoxy-acetylamino)-1H-benzoimidazol-5-yl ester.

- 10. (currently amended) The compound according to elaim 5 claim 4 wherein R₁ is alkoxy, 1-imidazolyl, or NH-alkyl or NH-cycloalkyl optionally substituted by acyl, acyl derivative, hydroxy, amino, alkoxy, heterocyclyl chosen from substituted or unsubstituted tetrahydrofuranyl, tetrahydropyranyl, pyrrolidinyl, 2-oxo-pyrrolidinyl, piperidinyl, piperidinyl, piperazinyl, morpholinyl or azepanyl or aryl and R₂ is -CO-amino, -CO-NHR₃, -CO-NR₃R₄ wherein R₃ and R₄ are selected independently from hydrogen, alkyl, hydroxyalkyl, alkoxyalkyl, fluoroalkyl, alkynyl, heteroalkyl heterocyclyl selected from pyrrolidinylalkyl, 2-oxo-pyrrolidinylalkyl, piperidinylalkyl, tetrahydropyranylalkyl or morpholinylalkyl, alkylheterocycloalkyl selected from 4-alkylpiperazinylalkyl or N-alkylpyrolidinylalkyl, aryl, aralkyl or together form an alkylene chain optionally containing one to 4 heteroatoms selected from azetidine, pyrrolidine or piperidine.
- 11. (currently amended) The compound according to claim 10 selected from the group consisting of:

N-[5-(4-[imidazolyl]-phenylsulfonyloxy)-1H-benzimidazole-2-yl]-methylurea,

N-[5-(4-cyclopentylaminophenylsulfonyloxy)-1H-benzimidazole-2-yl]-methylurea,

N-[5-(4-cyclopentylaminophenylsulfonyloxy)-1H-benzimidazole-2-yl]-dimethylurea,

4-cyclopentylamino-benzenesulfonic acid 2-(3-isopropyl-ureido)-1H-benzoimidazol-5-yl ester,

4-cyclopentylamino-benzenesulfonic acid 2-(3-butyl-ureido)-1H-benzoimidazol-5-yl ester,

4-imidazol-1-yl-benzenesulfonic acid 2-[3-(2-fluoro-phenyl)-ureido]-1H-benzoimidazol-5-yl ester,

4-cyclopentylamino-benzenesulfonic acid 2-[3-(2-fluoro-phenyl)-ureido]-1Hbenzoimidazol-5-yl ester,

4-cyclopentylamino-benzenesulfonic acid 2-[3-(3-methoxy-phenyl)-ureido]-1Hbenzoimidazol-5-yl ester,

4-cyclopentylamino-benzenesulfonic acid 2-[3-(4-methoxy-phenyl)-ureido]-1Hbenzoimidazol-5-yl ester,

4-cyclopentylamino-benzenesulfonic acid 2-[3-(4-chloro-phenyl)-urcido]-1Hbenzoimidazol-5-yl ester,

4-cyclopentylamino-benzenesulfonic acid 2-[3-(3-fluoro-benzyl)-ureido]-1Hbenzoimidazol-5-yl ester,

4-cyclopentylamino-benzenesulfonic acid 2-[3-(3-chloro-phenyl)-ureido]-1Hbenzoimidazol-5-yl ester,

4-cyclopentylamino-benzenesulfonic acid 2-(3-isobutyl-ureido)-1H-benzoimidazol-5-yl ester,

4-cyclopentylamino-benzenesulfonic acid 2-[3-(2-dimethylamino-ethyl)-ureido]-1Hbenzoimidazol-5-yl ester,

4-cyclopentylamino-benzenesulfonic acid 2-(3-ethyl-ureido)-1H-benzoimidazol-5-yl ester,

- 4-cyclopentylamino-benzenesulfonic acid 2-[3-(2-methoxy-ethyl)-ureido]-1H-benzoimidazol-5-yl ester,
- 4-cyclopentylamino-benzenesulfonic acid 2-[3-(4-dimethylamino-phenyl)-ureido]-1H-benzoimidazol-5-yl ester,
- 4-cyclopentylamino-benzenesulfonic acid 2-(3-tert-butyl-ureido)-1H-benzoimidazol-5-yl ester,
- 4-[(tetrahydro-furan-2-ylmethyl)-amino]-benzenesulfonic acid 2-(3-methyl-ureido)-1H-benzoimidazol-5-yl ester,
- 4-imidazol-1-yl-benzenesulfonic acid 2-(3-phenyl-ureido)-1H-benzoimidazol-5-yl ester,
- 4-imidazol-1-yl-benzenesulfonic acid 2-[3-(3-fluoro-phenyl)-ureido]-1H-benzoimidazol-5-yl ester.
- 4-imidazol-1-yl-benzenesulfonic acid 2-[3-(2-hydroxy-ethyl)-ureido]-1H-benzoimidazol-5-yl ester,
- 4-imidazol-1-yl-benzenesulfonic acid 2-[3-(4-fluoro-phenyl)-ureido]-1H-benzoimidazol-5-yl ester,
- 4-imidazol-1-yl-benzenesulfonic acid 2-[3-(2-chloro-benzyl)-ureido]-1H-benzoimidazol-5-yl ester.
- 4-imidazol-1-yl-benzenesulfonic acid 2-[3-(2-fluoro-benzyl)-ureido]-1H-benzoimidazol-5-yl ester,
- 4-imidazol-1-yl-benzenesulfonic acid 2-[(azetidine-1-carbonyl)-amino]-1H-benzoimidazol-5-yl ester,
- 4-imidazol-1-yl-benzenesulfonic acid 2-(3-benzyl-ureido)-1H-benzoimidazol-5-yl ester,
- 4-cyclopentylamino-benzenesulfonic acid 2-(3-phenyl-ureido)-1H-benzoimidazol-5-yl ester,
- 4-cyclopentylamino-benzenesulfonic acid 2-[3-(2-hydroxy-ethyl)-ureido]-1H-benzoimidazol-5-yl ester,
- 4-cyclopentylamino-benzenesulfonic acid 2-[3-(4-fluoro-phenyl)-ureido]-1H-benzoimidazol-5-yl ester,

- 4-cyclopentylamino-benzenesulfonic acid 2-[3-(2-chloro-benzyl)-weido]-1H-benzoimidazol-5-yl ester,
- 4-cyclopentylamino-benzenesulfonic acid 2-[3-(2-fluoro-benzyl)-ureido]-1H-benzoimidazol-5-yl ester,
- 4-cyclopentylamino-benzenesulfonic acid 2-[(azetidine-1-carbonyl)-amino]-1H-benzoimidazol-5-yl ester,
- 4-cyclopentylamino-benzenesulfonic acid 2-(3-benzyl-ureido)-1H-benzoimidazol-5-yl ester,
- 4-cyclopentylamino-benzenesulfonic acid 2-[3-(3-hydroxy-propyl)-ureido]-1H-benzoimidazol-5-yl ester,
- 4-cyclopentylamino-benzenesulfonic acid 2-[3-(1,1-dimethyl-propyl)-ureido]-1H-benzoimidazol-5-yl ester,
- 4-cyclopentylamino-benzenesulfonic acid 2-[3-(4-hydroxy-butyl)-ureido]-1H-benzoimidazol-5-yl ester,
- 4-cyclopentylamino-benzenesulfonic acid 2-[3-(2-hydroxy-1-methyl-ethyl)-ureido]-1H-benzoimidazol-5-yl ester,
- 4-[(tetrahydro-furan-2-ylmethyl)-amino]-benzenesulfonic acid 2-[3-(2-hydroxy-ethyl)-ureido]-1H-benzoimidazol-5-yl ester,
- 4-[(tetrahydro-furan-2-ylmethyl)-amino]-benzenesulfonic acid 2-[3-(3-hydroxy-propyl)-ureido]-1H-benzoimidazol-5-yl ester,
- 4-[(tetrahydro-furan-2-ylmethyl)-amino]-benzenesulfonic acid 2-[3-(4-hydroxy-butyl)-ureido]-1H-benzoimidazol-5-yl ester,
- 4-[(tetrahydro-furan-2-ylmethyl)-amino]-benzenesulfonic acid 2-[3-(2-methoxy-1-methyl)-ureido]-1H-benzoimidazol-5-yl ester,
- 4-[(tetrahydro-furan-2-ylmethyl)-amino]-benzenesulfonic acid 2-(3-ethyl-ureido)-1H-benzoimidazol-5-yl ester.
- 4-(2-methoxy-ethylamino)-benzenesulfonic acid 2-[3-(2-ethyl)- ureido]-1H-benzoimidazol-5-yl ester,

- 4-(2-hydroxy-1-methyl-ethylamino)-benzenesulfonic acid 2-[3-(2-methoxy-ethyl)ureido]-1H- benzoimidazol-5-yl ester,
- 4-(2-hydroxy-1-methyl-ethylamino)-benzenesulfonic acid 2-[3-(2-ethyl)-ureido]-1Hbenzoimidazol-5-yl ester.
- 4 benzyloxy benzenesulfonie acid 2-[3 (2 methoxy othyl) urcido]-1H benzoimidazel 5yl ester,
- 4-(2-morpholin-4-yl-ethylamino)-benzenesulfonic acid 2-[3-(2-methoxy-ethyl)- ureido]-1H-benzoimidazol-5-yl ester.
- 4-[(piperidin-4-ylmethyl)-amino]-benzenesulfonic acid 2-[3-(2-methoxy-ethyl)- ureido]-
- 1H- benzoimidazol-5-yl ester, and
- 4-(2-hydroxy-3-methoxy-propylamino)-benzenesulfonic acid 2-[3-(2-hydroxy-3methoxy-propyl)-ureido]-3H-benzoimidazol-5-yl ester.
- 12. (currently amended) The compound according to elaim 5 claim 4 wherein R2 is -CO-cycloalkyl.
- 13. (original) The compound according to claim 12 wherein R₂ is -CO-cyclopropyl.
- 14. (currently amended) The compound according to claim 13 selected from the group consisting of:
- 4-benzylamino-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1Hbenzoimidazol-5-yl ester.
- 4-methylamino-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1Hbenzoimidazol-5-yl ester,
- 4-(2-hydroxy-ethylamino)-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1Hbenzoimidazol-5-yl ester,
- 4-(3-hydroxy-propylamino)-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1Hbenzoimidazol-5-yl ester,

- 4-(4-hydroxy-butylamino)-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1H-benzoimidazol-5-yl ester,
- 4-(2-methoxy-1-methyl-ethylamino)-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1H-benzoimidazol-5-yl ester,
- 4-(2-pyxrolidin-1-yl-ethylamino)-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1H-benzoimidazol-5-yl ester,
- 4-(1-hydroxymethyl-propylamino)-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1H-benzoimidazol-5-yl ester,
- 4-(2-hydroxy-1-methyl-ethylamino)-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1H-benzoimidazol-5-yl ester,
- 4-(2-piperidin-1-yl-ethylamino)-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1H-benzoimidazol-5-yl ester,
- 4-(3-pyrrolidin-1-yl-propylamino)-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1H-benzoimidazol-5-yl ester,
- 4-(3-hydroxy-2,2-dimethyl-propylamino)-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1H-benzoimidazol-5-yl ester,
- 4-[3-(4-methyl-piperazin-1-yl)-propylamino]-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1H-benzoimidazol-5-yl ester,
- 4-(2-methoxy-benzylamino)-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1H-benzoimidazol-5-yl ester,
- 4-(2-diethylamino-ethylamino)-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1H-benzoimidazol-5-yl ester,
- 4-(1S-hydroxymethyl-propylamino)-benzenesülfonic acid 2-(cyclopropanecarbonyl-amino)-1H-benzoimidazol-5-yl ester,
- 4-(2-morpholin-4-yl-ethylamino)-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1H-benzoimidazol-5-yl ester,
- 4-(1-aza-bicyclo[2.2.2]oct-3-ylamino)-benzenesulfonic acid 2-(cyclopropane-carbonylamino)-1H-benzoimidazol-5-yl ester,

- 4-(2R-carbamoyl-pyrrolidin 1 yl) benzenesulfonic acid 2 (cyclopropanecarbonyl amino) 111-benzoimidazol 5 yl ester,
- 4-(2-piperazin-1-yl-ethylamino)-benzene-sulfonic acid 2-(cyclopropanecarbonyl-amino)-1H-benzoimidazol-5-yl ester,
- 4-(2-carbamoyl-cyclohexylamino)-benzenesulfonic acid 2-(cyclopropanecarbonylamino)-1H-benzoimidazol-5-yl ester,
- 4-(2-acetylamino-ethylamino)-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1Hbenzoimidazol-5-yl ester,
- 4-[2-(2-amino-ethylamino)-ethylamino]-benzenesulfonic acid 2-(cyclopropanecarbonylamino)-1H-benzoimidazol-5-yl ester,
- 4-[2-(1H-imidazol-4-yl)-ethylamino]-benzenesulfonic acid 2-(cyclopropanecarbonylamino)-1H-benzoimidazol-5-yl ester,
- 4-[(pyridin-2-ylmethyl)-amino]-benzenesulfonic acid 2-(cyclopropane-carbonyl-amino)-1H-benzoimidazol-5-yl ester,
- 4-cyclobutylamino-benzenesulfonic acid 2-(cyclopropanecarbonyl-amino)-1Hbenzoimidazol-5-yl ester, and
- 4-[2-(2-hydroxy-ethoxy)-ethylamino]-benzenesulfonic acid 2-(cyclopropanecarbonylamino)-1H-benzoimidazol-5-yl ester.
- 15. (currently amended) The compound according to elaim 5 claim 4 wherein R₁ is cyclopentylamino and R2 is aryl or aralkyl optionally substituted by heterocycloalkyl heterocyclyl selected from morpholinyl or methylpiperazinyl, alkyl, aryl, alkoxy, amino, fluroroalkyl fluoroalkyl, acyl derivative, or halogen.
- 16. (original) The compound according to claim 15 selected from the group consisting of:
- 4-cyclopentylamino-benzenesulfonic acid 2-(3,4-dimethoxy-phenylamino)-1Hbenzoimidazol-5-yl ester,
- 4-cyclopentylamino-benzenesulfonic acid 2 -phenylamino-1H-benzoimidazol-5-yl ester,

4-cyclopentylamino-benzenesulfonic acid 2-(4-morpholin-4-yl-phenylamino)-1H-benzoimidazol-5-yl ester,

4-cyclopentylamino-benzenesulfonic acid 2-(3,5-dimethyl-phenylamino)-1H-benzoimidazol-5-yl ester,

4-cyclopentylamino-benzenesulfonic acid 2-(4-methoxy-phenylamino)-1H-benzoimidazol-5-yl ester,

4-cyclopentylamino-benzenesulfonic acid 2-(4-dimethylamino-phenylamino)-1H-benzoimidazol-5-yl ester,

4-cyclopentylamino-benzenesulfonic acid 2-(3-methoxy-5-trifluoromethyl-phenylamino)-1H-benzoimidazol-5-yl ester,

3-[5-(4-cyclopentylamino-benzenesulfonyloxy) -1H-benzoimidazol-2-ylamino]-benzoic acid ethyl ester, and

4-cyclopentylamino-benzenesulfonic acid 2-[(4-(4-methyl-piperazin-1-yl)-phenylamino)-1H-benzoimidazol-5-yl ester.

- 17. (original) A pharmaceutical composition comprising a therapeutically effective amount of a compound of formula (I) according to claim 1 and one or more pharmaceutically acceptable adjuvants or diluents.
- 18. (currently amended) A method of treating a patient for cancer <u>selected from the group consisting of breast, ovarian, bladder, esophageal, lung and lymphoma, comprising administering to said patient a therapeutically effective amount of a compound of formula (I) according to claim 1.</u>